

**Canon**

CANON SOLUTIONS AMERICA

imagePROGRAF



imagePROGRAF  
iPF 8400SE/6400SE




**INFOGRAPHICS AND POSTERS**

**LARGE-FORMAT PRINTING**



Save up to 25% storewide!



## Infographics and Posters

The imagePROGRAF iPF8400SE and iPF6400SE printers are aimed specifically at users who wish to produce colorful, eye-catching sales promotion posters, banners, and point-of-purchase materials for vibrant displays at a low cost.

These 6-color, large-format solutions make on-site poster printing quick and easy, and they offer a variety of features to help enhance workflows.

- iPF8400SE: 44"-wide, cost-effective printer that's optimized for poster printing on a variety of media. Ideal for producing retail signs, posters, banners, and more.
- iPF6400SE: 24"-wide, compact solution that's ideal for retailers, restaurants, businesses, and schools.

## FEATURES

- **6-Color LUCIA EX Ink Set** helps achieve the vibrant color reproduction required for point-of-purchase and poster output while helping to ensure high-quality color printing that's scratch-resistant.
- **Red Ink** is included to help produce eye-catching and vibrant prints.
- **The compact design** allows for placement in small offices or stores.
- Sub-ink tank system and high-capacity ink tanks offer **continuous printing**.
- Enhanced **PosterArtist Lite** software provides high-quality poster creation in just four easy steps!
- **Economy Print Mode** helps reduce ink consumption and minimize printing costs.

# imagePROGRAF

## EYE-CATCHING POSTERS

The SE Series is designed for the emerging infographics market. Posters, banners, and signage will stand out to your customers, thanks to the Red ink that's featured in this 6-color LUCIA EX ink set. The Red ink helps make prints and posters more vibrant to the eye and helps bring users a simple, low-cost yet high-quality solution for poster printing that hasn't been offered before. And with various print modes and the ability to use different types of media, the SE Series offers an array of customization options for poster creation needs.

### Markets

- Retail Signage
- Restaurants
- Education
- Businesses
- Government
- And more



The iPF SE Series is an ideal solution for anyone looking to create eye-popping posters, banners, and infographics. With these types of users in mind, Canon has designed the iPF SE Series to be integrated seamlessly with its **PosterArtist Lite** software. This easy-to-use software is template-driven and includes predesigned templates, royalty-free images, and clip art. Users can create professional posters, banners, and signage in just four easy steps—for almost any application! A new image correction function for PosterArtist Lite automatically corrects image colors and enables a "cut out" function where selected areas of an image, such as backgrounds, can be removed for enhanced customization. A free version of PosterArtist Lite comes with every iPF8400SE and iPF6400SE printer, and a full version of PosterArtist is available for purchase. The full version includes some added value features such as an expanded library of templates and variable data printing.



PosterArtist poster creation software



# imagePROGRAF

## SPECIFICATIONS

imagePROGRAF  
iPF8400SE/6400SE

### Print-Head

PF-05 (One)

### Technology

FINE (Full-Photolithography Inkjet Nozzle Engineering)

### Print Resolution (Max.)

Up to 2400 x 1200 dpi

### Ink Type

LUCIA EX Ink (Pigment-based)

### Ink Tank

#### iPF8400SE

PFI-306 (330ml): BK, MBK, C, M, Y, R  
PFI-706 (700ml): BK, MBK, C, M, Y, R

#### iPF6400SE

PFI-106 (130ml): BK, MBK, C, M, Y, R  
PFI-206 (300ml): BK, MBK, C, M, Y, R

### Colors

Cyan, Magenta, Yellow, Black, Matte Black, Red

### Ink Tank Shipped with Printer

6 Colors (Full 330ml Each Color)  
6 Colors (90ml Starter Tank Each Color)

### Printer Memory

iPF8400SE: 384MB

iPF6400SE: 256MB

### Media Feed

#### iPF8400SE

Front-Loading Roll Feed: One Roll, Front Output  
Front-Loading Manual Feed: One Sheet, Front Output

#### iPF6400SE

Top-Loading Roll Feed: One Roll, Front Output  
Top-Loading Manual Feed: One Sheet, Front Output

### Media Width

#### iPF8400SE

Cut Sheet: 8" – 44"  
Roll Feed: 10" – 44"

#### iPF6400SE

8" – 24" (Cut Sheet and Roll)

### Minimum Media Length

#### iPF8400SE:

8" (203mm)

#### iPF6400SE

Top-Loading Roll Feed: 8" (203mm)  
Top-Loading Manual Feed: 11.0" (279mm)

### Maximum Print Length

#### iPF8400SE

Manual Feed: 63" (1.6m)  
Roll Feed: 59' (18m)\*

#### iPF6400SE

Top-Loading Roll Feed: 59' (18m)\*  
Top-Loading Manual Feed: 63" (1.6m)

### Borderless Printing Widths (Roll Media Only)

#### iPF8400SE

10"/14"/17"/24"/36"/42"/44"/B2  
[20.28" (565mm)]/  
A1 [23.38" (594mm)]/ A0 [33.11"/841mm]/  
B0 [40.55" (1030mm)]

#### iPF6400SE

10"/14"/16"/17"/24"/B4 [9.84" (250mm)]/  
A2 [16.54" (420mm)]/ B2 [20.28" (515mm)]/  
A1 [23.38" (594mm)]

### Printer Stand

Standard

### Media Thickness

#### iPF8400SE

0.07mm - 0.8mm (2.8mil - 31.4mil)

#### iPF6400SE

0.07mm - 0.8mm (2.8mil - 31.4mil)

### Media Core Sizes

2" or 3" Core (with Supplied Adapter)

### Printable Margins (iPF8400SE)

#### Manual Feed (Front)

Leading and Left/Right Edges: 0.20" (5mm)  
Trailing Edge: 0.90" (23mm)  
Top: 0.79" (20mm)

#### Roll Feed

All Sides: 0.20" (5mm) or 0" for Borderless

### Printable Margins (iPF6400SE)

#### Manual Feed (Top/Front)

0.12" (3mm)

### Maximum Media Roll Outer Diameter

5.9" (150mm)

### Bundled Software

#### Printing Software

Canon Printer Driver, Printer Driver Extra Kit  
(Free Layout, imageRUNNER® Linking Function),  
Print Plug-in for Microsoft Office (PC only),  
Optimized Module for AutoCAD (PC only)

#### Applications

PosterArtist Lite (PC only)  
Direct Print & Share

#### Utilities

imagePROGRAF Status Monitor (Windows®),  
Print Monitor (Macintosh®), Media Configuration  
Tool, Remote UI, Accounting Manager (PC only)

### Printer Language

GARO (Canon Proprietary)

### Operating System\*

Windows XP (32/64 bit), Server 2003 (32/64 bit),  
Server 2008 (32/64 bit), Windows Vista (32/64 bit),  
Windows 7 (32/64 bit), Windows 8 (32/64 bit),  
Macintosh OS X 10.5.8 -10.7x

### Interface

#### Standard

USB 2.0 High-Speed  
10/100Base-T/TX

### Acoustic Noise

iPF8400SE: Operation 50dB or Less

iPF6400SE: Operation 49dB or Less

### Power Supply

AC 100-240V (50-60Hz)

### Power Consumption

#### iPF8400SE

Maximum: 190W or Less  
Standby (100-120V): 5W or Less  
Power Off: .5W or Less

#### iPF6400SE

Maximum: 100W or Less  
Standby (100-120V): 5W or Less  
Power Off: .5W or Less (Compliant with  
Executive Order)

### Certifications

UL, FCC Class B, ENERGY STAR®

### Operational Environment

Temperature: 59 – 86 F° (15 – 30 C°)  
Relative Humidity: 10 – 80% (No Condensation)

### Dimensions with Stand (H x W x D)

iPF8400SE: 45" x 74.5" x 38.2"

iPF6400SE: 39.1" x 40" x 34.3"

### Weight

iPF8400SE: Approx. 258 lb.

iPF6400SE: Approx. 119 lb.

### User-Replaceable Items

#### iPF8400SE

Print-Head (PF-05)  
Maintenance Cartridge (MC-08)  
Durable Rotary Media Cutter (CT-06)

#### iPF6400SE

Print-Head (PF-05)  
Maintenance Cartridge (MC-16)

### Options

#### iPF8400SE

Roll Holder Set RH2-44  
PosterArtist (PC Only)

#### iPF6400SE

Roll Holder Set RH2-25  
PosterArtist (PC Only)

- \* The maximum printable length varies depending on the application, OS, and RIP used. The maximum printable length from Canon Printer Driver is 50 feet.
- For imagePROGRAF Printer Driver. For printing from PostScript® applications such as Adobe Illustrator® or QuarkXPress®, please use a PostScript compatible RIP package. For a list of Canon recommended RIP packages, please consult with Canon Alliance and Industry Market program list of RIP vendors.

Utilize the imagePROGRAF 8400SE/6400SE to its full potential with professional services from Canon Solutions America

When selecting and implementing new technology, a highly skilled technical team is the difference-maker for a successful deployment.

Canon Solutions America has the team of experts you need to help you acquire the right technology, solutions, and services for your organization. Our team of technical professionals draws upon decades of technical expertise and real-world experience to ensure you obtain the maximum benefit from your technology investment.

As an ENERGY STAR® Partner, Canon U.S.A., Inc. has qualified these models as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. CANON, IMAGEPROGRAF, IMAGERUNNER, LUCIA, and the GENUINE logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. All other referenced product names and marks are trademarks of their respective owners. Specifications and availability subject to change without notice. All output images and effects are simulated.  
©2014 Canon U.S.A., Inc. All rights reserved.

CSA-03-14-054  
0314-CSAIPFSE-PDF-IH

# Canon

CANON SOLUTIONS AMERICA

### Canon Solutions America, Inc.

One Canon Park  
Melville, NY 11747

1.800.815.4000  
csa.canon.com

